

**Branches** is part of the Calm Collection, a collaboration with 13&9 and Fractals Research.

Inspired by glimpses of trees overhead, Calm-Branches creates a visual landscape that helps reduce stress through natural fractal patterns. The design is built from a three-part line, repeated, re-scaled, and rearranged with scientific precision. The resulting surface prompts the same eye movements as a canopy of crisscrossing branches. Research shows that perceiving

natural fractal patterns activates a stress-relief response in our bodies. By tapping into that natural response, Calm-Branches supports a sense of calmness and concentration in your spaces.

# Calm-Branches

Product Specifications



FACT

FACT.DESIGN / 423.709.8787 / PATENT PENDING



## Material

9mm Polyester (PET) Felt +/- 0.35"



## Size

24" (l) x 24" (w) x +/- .7" (d)



## Weight

3.5 lb



## Warranty

3-Year



## Flammability

ASTM E84 Class A Certified



## Environmental

Polyester (PET) felt 60% pre-consumer recycled



## Color

Choose from one of our standard colors shown below. See page 4 for additional colors that can be added as accents to your design.



Slight variations in color should be expected when using this material. We suggest that you request a material sample to verify felt colors.



## Acoustics

Wall installation

- Test Method - ASTM E795-16 Type E-400 Mounting - NRC ..30

Testing results available upon request at [sales@fact.design](mailto:sales@fact.design)



**FACT**



## Lead Time

Ships in four (4) weeks



## Application

Commercial/Office, Education, Hospitality, Retail



## Pattern

Non-Directional




## Installation / Maintenance

Each pattern repeats every 8 tiles and is non-directional. The tiles should be installed with a construction-grade adhesive specified by the contractor. Please note that due to the nature of the material seaming between tiles can show. Also, there can be some inconsistencies in both color and thickness between tiles.

To remove dust or air-born particulate matter, simply vacuum the tiles or use compressed air. For deeper cleaning of stains, use a clean cloth or sponge with a non-solvent base solution of carpet shampoo always making sure to follow the manufacturer's instructions. Starting from the outside of the stain work in a circular motion towards the center which should avoid spreading the stain. Afterwards, use a clean sponge or cloth with clean warm water to remove excess moisture. Allow to dry, then brush the area gently with a soft brush if needed.

The treatments listed above are intended as general guidance only. FACT design takes no responsibility for any damage that may occur from the execution of the treatment listed above.



## camira Blazer – Catagory A

Min. Requirements:  
Ceilings – 160 sq. ft. per color  
Walls – 40 sq. ft. per color

If your project requires less, please reach out to your **local rep** to discuss the project.

---

## camira Blazer Lite – Catagory A

Min. Requirements:  
Ceilings – 160 sq. ft. per color  
Walls – 40 sq. ft. per color

If your project requires less, please reach out to your **local rep** to discuss the project.

---

## kvadrat Divina 3 – Catagory B

Min. Requirements:  
Ceilings – 320 sq. ft. per color  
Walls – 40 sq. ft. per color

If your project requires less, please reach out to your **local rep** to discuss the project.

---

## kvadrat Divina Melange 3 – Catagory B

Min. Requirements:  
Ceilings – 320 sq. ft. per color  
Walls – 40 sq. ft. per color

If your project requires less, please reach out to your **local rep** to discuss the project.

---

## kvadrat Divina MD – Catagory B

Min. Requirements:  
Ceilings – 320 sq. ft. per color  
Walls – 40 sq. ft. per color

If your project requires less, please reach out to your **local rep** to discuss the project.

